Author Index Vol. 766

Abraham, M.H., Chadha, H.S., Leitao, R.A.E., Mitchell, R.C., Lambert, W.J., Kaliszan, R., Nasal, A. and Haber, P.
Determination of solute lipophilicity, as log *P*(octanol) and log *P*(alkane) using poly(styrene–divinylbenzene) and immobilised artificial membrane stationary phases in reversed-phase high-performance liquid chromatography 766(1997)35

Adams, E., Dalle, J., De Bie, E., De Smedt, I., Roets, E. and Hoogmartens, J.
Analysis of kanamycin sulfate by liquid chromatography with pulsed electrochemical detection 766(1997)133

Ahmed, A. and Lloyd, D.K.
Effect of organic modifiers on retention and enantiomeric separations by capillary electrophoresis with human serum albumin as a chiral selector in solution 766(1997)237

Alberts, D., see Batta, A.K. 766(1997)286

Auriola, S., see Ranta, V.-P. 766(1997)85

Batas, B., Jones, H.R. and Chaudhuri, J.B.
Studies of the hydrodynamic volume changes that occur during refolding of lysozyme using size-exclusion chromatography 766(1997)109

Batta, A.K., Salen, G., Batta, M., Earnest, D. and Alberts, D.
Capillary gas–liquid chromatography of acetate–methyl esters of bile acids 766(1997)286

Batta, M., see Batta, A.K. 766(1997)286

Bertrand, O., see Hasnaoui, M. 766(1997)49

Bhanger, M.I., see Khuhawar, M.Y. 766(1997)159

Braumann, U., see Spraul, M. 766(1997)255

Brinkman, U.A.Th., see Steen, R.J.C.A. 766(1997)153

Buchberger, W., Klampfl, C.W., Eibensteiner, F. and Buchgraber, K.
Determination of fermenting acids in silage by capillary electrophoresis 766(1997)197

Buchgraber, K., see Buchberger, W. 766(1997)197

Burleson, J., see Wang, I.-H. 766(1997)277

Cartron, J.P., see Hasnaoui, M. 766(1997)49

Chadha, H.S., see Abraham, M.H. 766(1997)35

Chaudhuri, J.B., see Batas, B. 766(1997)109

Chen, L.-Y., see Sun, S.-W. 766(1997)215

Chen, Z.-L. and Hibbert, D.B.
Simultaneous amperometric and potentiometric detection of sugars, polyols and carboxylic acids in flow systems using copper wire electrodes 766(1997)27

Claessens, H.A., see Muijselaar, P.G. 766(1997)187

Cochet, S., see Hasnaoui, M. 766(1997)49

Cofino, W.P., see Steen, R.J.C.A. 766(1997)153

Cramers, C.A., see Muijselaar, P.G. 766(1997)187

Dalle, J., see Adams, E. 766(1997)133

Debbia, M., see Hasnaoui, M. 766(1997)49

De Bie, E., see Adams, E. 766(1997)133

De Smedt, I., see Adams, E. 766(1997)133

Dosedlová, D., see Kastner, P. 766(1997)165

Dubin, P.L., see Gao, J.Y. 766(1997)233

Earnest, D., see Batta, A.K. 766(1997)286

Eibensteiner, F., see Buchberger, W. 766(1997)197

Elrod Jr., L., see Morley, J. 766(1997)77

Ermakov, S.V., see Zhukov, M.Yu. 766(1997)171

Gao, J.Y., Dubin, P.L., Sato, T. and Morishima, Y.
Separation of polyelectrolytes of variable compositions by free-zone capillary electrophoresis 766(1997)233

García Sánchez, M[a].T., Pérez Pavón, J.L. and Moreno Cordero, B.
Continuous membrane extraction of phenols from crude oils followed by high-performance liquid chromatographic determination with electrochemical detection 766(1997)61

Gonzalez, F.R. and Nardillo, A.M.
Integration of the equation of peak motion in programmed-pressure and -temperature gas chromatography 766(1997)147

Haber, P., see Abraham, M.H. 766(1997)35

Hage, D.S., see Yang, J. 766(1997)15

Han, S., see Ma, Z. 766(1997)282

Hargreaves, C., see Morris, V.M. 766(1997)245

Hasnaoui, M., Debbia, M., Cochet, S., Cartron, J.P., Lambin, P. and Bertrand, O.
Screening of a large number of dyes for the separation of human immunoglobulin G2 from the other immunoglobulin G subclasses. Immunoglobulin G2 enrichment on immobilized Procion Yellow HE-4R 766(1997)49

Hibbert, D.B., see Chen, Z.-L. 766(1997)27

Hoogmartens, J., see Adams, E. 766(1997)133

Hughes, D.E., see Kats, M. 766(1997)205

Hughes, J.G., see Morris, V.M. 766(1997)245

Jackson, Y.A., see Simpson, G.I.C. 766(1997)141

Jones, H.R., see Batas, B. 766(1997)109

Kabziński, A.K.M.
Application of solid-phase extraction to the preconcentration of metallothionein and metals from physiological fluids[1] 766(1997)121

Kaliszan, R., see Abraham, M.H. 766(1997)35

Kastner, P., Kuchař, M., Klimeš, J. and Dosedlová, D.
Relationship between structure and reversed-phase thin-layer chromatographic lipophilicity parameters in a group of piperazine derivatives 766(1997)165

Kats, M., Richberg, P.C. and Hughes, D.E.
Conformational transformations of the fusion protein BR96 sFv-PE40 as monitored by micellar electrokinetic capillary chromatography and circular dichroism 766(1997)205

Khuhawar, M.Y., Memon, A.A. and Bhanger, M.I.
Capillary gas chromatographic determination of vanadium in crude petroleum oil using fluorinated ketoamines as derivatizing reagents 766(1997)159

Kite, G.C., see Stevenson, P.C. 766(1997)267

Klampfl, C.W., see Buchberger, W. 766(1997)197

Klimeš, J., see Kastner, P. 766(1997)165

Ko, J., see Wang, I.-H. 766(1997)277

Kosakowska, A., see Mazur, H. 766(1997)261

Krogh, K.S, see Morley, J. 766(1997)77

Kuchař, M., see Kastner, P. 766(1997)165

Lambert, W.J., see Abraham, M.H. 766(1997)35

Lambin, P., see Hasnaoui, M. 766(1997)49

Lau, O.-W. and Mok, C.-S.

High-performance liquid chromatographic determination of atropine and atropine-like alkaloids in pharmaceutical preparations with indirect conductometric detection 766(1997)270
Leidy, R.B., see Penmetsa, K.V. 766(1997)225
Leitao, R.A.E., see Abraham, M.H. 766(1997)35
Leonards, P.E.G., see Steen, R.J.C.A. 766(1997)153
Lightfoot, E.N., see Perkins, T.W. 766(1997)1
Linton, C., see Morley, J. 766(1997)77
Lloyd, D.K., see Ahmed, A. 766(1997)237
Lu, M. and Tjerneld, F.
Interaction between tryptophan residues and hydrophobically modified dextran. Effect on partitioning of peptides and proteins in aqueous two-phase systems 766(1997)99
Ma, Z., Zhang, L. and Han, S.
Separation of samarium, gadolinium, terbium, gysprosium, erbium and ytterbium by high-speed countercurrent chromatography with organophosphate ester 766(1997)282
Mak, D.S., see Perkins, T.W. 766(1997)1
Marriott, P.J., see Morris, V.M. 766(1997)245
Mazur, H., Kosakowska, A. and Pazdro, K.
Determination of indole-3-acetic acid in the Gulf of Gdańsk by high-performance liquid chromatography of its 4-methyl-7-methoxycoumarin derivative 766(1997)261
Memon, A.A., see Khuhawar, M.Y. 766(1997)159
Mitchell, R.C., see Abraham, M.H. 766(1997)35
Mok, C.-S., see Lau, O.-W. 766(1997)270
Moorman, R., see Wang, I.-H. 766(1997)277
Moreno Cordero, B., see García Sánchez, M. 766(1997)61
Morishima, Y., see Gao, J.Y. 766(1997)233
Morley, J., Elrod Jr., L., Linton, C., Shaffer, D. and Krogh, K.S.
Determination of residual amines used in bulk drug synthesis by pre-column derivatization with 3,5-dinitrobenzoyl chloride and high-performance liquid chromatography 766(1997)77
Morris, V.M., Hargreaves, C., Overall, K., Marriott, P.J. and Hughes, J.G.
Optimization of the capillary electrophoresis separation of ranitidine and related compounds 766(1997)245
Muijselaar, P.G., Van Straten, M.A., Claessens, H.A. and Cramers, C.A.
Determination of diffusion coefficients and separation numbers in micellar electrokinetic chromatography 766(1997)187
Nardillo, A.M., see Gonzalez, F.R. 766(1997)147
Nasal, A., see Abraham, M.H. 766(1997)35
Neubert, R., see Wolf, R. 766(1997)71
Nuzillard, J.-M., see Spraul, M. 766(1997)255
Overall, K., see Morris, V.M. 766(1997)245
Pazdro, K., see Mazur, H. 766(1997)261
Penmetsa, K.V., Leidy, R.B. and Shea, D.
Analysis of primisulfuron and triasulfuron in water and soil samples by micellar electrokinetic capillary chromatography 766(1997)225
Pérez Pavón, J.L., see García Sánchez, M. 766(1997)61
Perkins, T.W., Mak, D.S., Root, T.W. and Lightfoot, E.N.
Protein retention in hydrophobic interaction chromatography: modeling variation with buffer ionic strength and column hydrophobicity 766(1997)1
Raith, K., see Wolf, R. 766(1997)71
Ranta, V.-P., Urtti, A. and Auriola, S.
Gradient high-performance liquid chromatographic analysis of enkephalin peptides, their metabolites and enzyme inhibitors using combined ultraviolet and electrochemical detection. I. Optimization of separation and detection 766(1997)85
Renault, J.-H., see Spraul, M. 766(1997)255
Richberg, P.C., see Kats, M. 766(1997)205
Righetti, P.G., see Zhukov, M.Yu. 766(1997)171
Roets, E., see Adams, E. 766(1997)133
Root, T.W., see Perkins, T.W. 766(1997)1
Salen, G., see Batta, A.K. 766(1997)286
Sato, T., see Gao, J.Y. 766(1997)233
Shaffer, D., see Morley, J. 766(1997)77
Shea, D., see Penmetsa, K.V. 766(1997)225
Simmonds, M.S.J., see Stevenson, P.C. 766(1997)267
Simpson, G.I.C. and Jackson, Y.A.
Predictive strategies for determining retention indices of some allylic alcohols and their esters by gas chromatography 766(1997)141
Spraul, M., Braumann, U., Renault, J.-H., Thépenier, P. and Nuzillard, J.-M.
Nuclear magnetic resonance monitoring of centrifugal partition chromatography in pH-zone-refining mode 766(1997)255
Steen, R.J.C.A., Leonards, P.E.G., Brinkman, U.A.Th. and Cofino, W.P.
Ultra-trace-level determination of the antifouling agent Irgarol 1051 by gas chromatography with tandem mass spectrometric detection 766(1997)153
Stevenson, P.C., Kite, G.C. and Simmonds, M.S.J.
Pipecolic acid methyl esters as artefacts from the ion-exchange chromatography of *Inga punctata* foliar extracts 766(1997)267
Subramanian, V., see Wang, I.-H. 766(1997)277
Sun, S.-W. and Chen, L.-Y.
Optimization of capillary electrophoretic separation of quinolone antibacterials using the overlapping resolution mapping scheme 766(1997)215
Thépenier, P., see Spraul, M. 766(1997)255
Tjerneld, F., see Lu, M. 766(1997)99
Urtti, A., see Ranta, V.-P. 766(1997)85
van Straten, M.A., see Muijselaar, P.G. 766(1997)187
Wang, I.-H., Subramanian, V., Moorman, R., Burleson, J. and Ko, J.
Direct determination of pyrethrins in pyrethrum extracts by reversed-phase high-performance liquid chromatography with diode-array detection 766(1997)277
Wolf, R., Raith, K. and Neubert, R.
Separation and quantitation of glycolipids as penetration modifiers in human skin using high-performance liquid chromatography–mass spectrometry with electrospray ionization 766(1997)71
Yang, J. and Hage, D.S.
Effect of mobile phase composition on the binding kinetics of chiral solutes on a protein-based high-performance liquid chromatography column. Interactions of D- and L-tryptophan with immobilized human serum albumin 766(1997)15
Zhang, L., see Ma, Z. 766(1997)282
Zhukov, M.Yu., Ermakov, S.V. and Righetti, P.G.
Simplified mathematical model of irreversible sample adsorption in capillary zone electrophoresis 766(1997)171